


ZHEJIANG TOLERANCE
ELECTRIC CO.,LTD.

TOLERANCE
ZHEJIANG YUEQING
JIANG LIUSHI
Zhejiang Yueqing Liushi



浙江特伦斯电气有限公司



- ◆ CABLE CLIP
- ◆ NYLON CABLE TIE
- ◆ PLASTIC ANCHOR
- ◆ CABLE GLAND
- CABLE MARKER**
- ◆ CABLE CLAMP
- ◆ CABLE PROTECTION
- ◆ STAINLESS STEEL CABLE TIE



浙江特伦斯电气有限公司
E-mail : info@Chinatls.com
Http : //www.chinatls.com Chinatls.en.alibaba.com



ZHEJIANG TOLERANCE
ELECTRIC CO.,LTD.

WHY CHOOSE US

- (1) core value: win-win, respect, integrity, reciprocity and mutual benefits.
- (2) we have rich experience in the field of wiring accessories industry and gather around higher popularity in oversea marketing.
- (3) our products have a complete range of specifications and steady good quality, to meet the need of different customers.
- (4) we adhere to the principle of win-win, built a professional electrical wiring accessories platform, we can provide anything whatever you want.



PRODUCT ADVANTAGE

1. Quality is our Culture.
2. We insist on using NEW material—refused to add recyle material.
—refused to add brightaner
3. we have our own factory, so any shape products can be full customed with low cost.
4. Quality
We always put the product quality in the first place and strict quality control by third party.
The equipment we adopted is the most advanced, so our production facilities and manufactories are of the highest industry standard.



INDUSTRY SOLUTION

1. Since established, we have been focusing on the research and development of our products
2. We adopt the most advanced equipment. so our production facilities and the level of manufacture are the highest industry standard.
3. When you receive the goods, test them. If you have any questions, contact us, we will offer the solution for you.



SERVICE & SUPPORT

1. Our service exceeds all customer expectations and we have a professional team to provide customers with accurate, comprehensive and efficient service
2. Trustworthy quality is success partner, and we try to avoid after-sales issues.
3. 24 hours service online: Welcome to consult us, we will try our best to help you.

OUR PROMISE

Quality is our Culture
Delivery time guaranteed
Superior service to satisfy customer request
Insist win-win development

COMPANY

特伦斯 Profile

Zhejiang Tolerance Electrical Co. Ltd. is a professional manufacturer of wiring accessories factory. After building our own factory, Tolerance focuses on the R & D, production and sale various kinds of wiring accessories all the time. The main products includes cable clips, expand plugs, self adhesive tie mount, saddle type tie mount, cable glands, spiral wrapping bands, stainless steel ties and so on. Our products are mainly applied in housing decoration wiring, wiring of building engineering, sets of electrical wiring, wiring of the shipbuilding industry, communication engineering wiring, light industry and heavy industry, meanwhile, the quality of our products enjoy great popularity at home and abroad.

Our company specializes in improving the quality of the products and meet with the requirement of different countries in order to satisfy with the different customer. Recent years, we establish a good cooperration relation with our main customers, such as, New Delhi of India, Dhaka of Bangladesh, Johannesburg of South Africa, Moscow of Russia, Incheon of South Korea, United Arab Emirates ect. In these countries, our products has occupied a certain market share in the local. At the same time, our products are recognized by these customers, no matter what its quality or appearance of internal and external packaging.

Tolerance will countine to improve the quality and service of products and commit to innovate technology in oredor to meet with the different requirement from globe market. In the future, our company is dedicating in carrying forward the spirit of "Tolerance, for wisdom and different".

www.chinatls.com



03-10 CABLE CLIPS SYSTEM



CABLE CLIPS SYSTEM

- 03 K-type Circle Cable Clips
- 04 Circle cable clips
- 05 Hook Cable Clips
- 06 British Cable Clips
- 07 Flat cable clips
- 08 Pipe Clip
- 09 Hard/Soft Plastic Box Cable Clip
- 10 Paper Box Cable Clip
- 10 Other Brand Packaging

NYLON CABLE TIES SYSTEM



11-22

NYLON CABLE TIES SYSTEM

- 13-14 Self-Lock Type
- 15-16 Barb-Lock Type
- 17 Push Mount Type
- 18 Mountable Head Ties
- 18 Marker Ties
- 19 Releasable Type
- 19 Lashing Cable Tie
- 20 Double Head Cable Tie
- 20 Double Locking Cable Ties
- 20 Handcuff tie Cable Ties
- 21 Magic Cable ties
- 22 Instructions For Use

PLASTIC ANCHOR SYSTEM

- 25 Shark Head type Expand Plugs
- 26 Expand Plugs
- 27 Expand Plugs
- 28 Nylon Hammer Drive Anchor
- 29 Nylon Frame Fixing
- 30 Self-drill Plasterboard Plug
- 30 Zn Alloy Speed Anchors
- 31 Poly-Toggles
- 31 Hdpe Plastic Plugs
- 32 Paper Box
- 32 Green Paper Box
- 32 Blue Skylight Box
- 32 Purple Paper Box

23-32



CABLE GLANDS SYSTEM



33-44

CABLE GLANDS SYSTEM

- Nylon Cable Glands (Standard type) 34
- Nylon Cable Glands (Metric) M type 35
- Nylon Cable Glands MG/G/NPT 36
- Nylon Screw Plugs PG/M Type 37
- Spiral Cable Glands (PG/M type) 38
- Metal Cable Glands(Brass/S S 304/316) 39
- Metal Cable Glands(Brass/S S 304/316) 40
- Waterproof Junction Box (With Stopper) 41
- Waterproof Junction Box (Without Stopper) 42
- PE/PP/PA Corrugated Pipe 43
- Corrugated Conduit Connector 44
- Right Angle Connector of Corrugated Conduit 44
- Corrugated Pipe Fixed Stem 44

CABLE MARKERS SYSTEM



45-52

CABLE MARKERS SYSTEM

- 46 O type Marker Tube
- 47 Cable Markers
- 48 Color Cable Markers
- 49 MS type Color Coded Cable Markers
- 50 Marker Strip
- 50 Value pack Cable Markers
- 51 Stainless Steel Easy Read Markers
- 51 Stainless Steel Markers Carrier
- 52 Stainless Steel Tige24

CABLE CLAMPS SYSTEM



53-62

CABLE CLAMPS SYSTEM

- 54 Self Adhesive Tie Mount
- 54 Saddle Type Tie Mount
- 55 Adjustable Cable Clamp
- 55 Adjustable Cable Clamp
- 56 Cable Tie Holders
- 56 R type Cable Clamp
- 57 Rubber Tube Clamps
- 58 Vinyl Coated Tube Clamps
- 59 Twist Ties
- 59 Standoff Twist Tie
- 59 Locking Wire Saddle
- 60 Strain Relief Bushing
- 61 Grommet (open)
- 61 Hole Plug
- 62 Snap Bushing
- 62 Snap Bushing(Open)

CABLE PROTECTION SYSTEM



63-76

CABLE PROTECTION SYSTEM

- 64 Cable Tidy(Attached Clip)
- 65 Spiral Wrapping Bands
- 66 Movable Bushing
- 67 PVC Insulating Tape
- 68 Cable Puller
- 69 Trunking and Pipe
- 70 Round Type Wiring Duct
- 71-72 PXC Wiring Duct(slotted)
- 73-74 PZC Wiring Duct(solid)
- 75 Magic tube
- 75-76 Button tube

STAINLESS STEEL CABLE TIES SYSTEM



77-90

STAINLESS STEEL CABLE TIES SYSTEM

- 79-80 Ball-Lock Uncoated Ties
- 81-82 Ball-Lock Polyester Coated Ties
- 83-84 L Type Polyester Coated Ties
- 85 Ball-Lock PVC Coated Ties
- 86 Releasable Uncoated Ties
- 87 Ladder Single-Lock Un coated Ties
- 88 Un coated Bands-MPS Ties
- 88 PVC Coated Bands-MPSJ Series
- 89 Buckles
- 90 Hand Tools

CABLE MARKERS SYSTEM

Pro-Fix Wiring Accessories

浙江特伦斯电气有限公司




CABLE MARKERS SYSTEM

O type Marker Tube

◎O 型标记管


Pro-Fix Wiring Accessories

浙江特伦斯电气有限公司




材质：南亚软质PVC(白色)，防止油性及其他物质侵蚀。
特点：胶管内灌气及平滑设计，不扭转、不变形，适用各种印字机。
其他规格，欢迎咨询。

Material: Soft PVC (bright white)
OMT Feature: Good for printing machine with smooth design inside the tube.



Unit: mm

ITEM NO	I.D.		Wire Dia.
	sq	AWG	
OMT-0.75			0.75
OMT-1.25			1.25
OMT-2.0			2.0
OMT-2.5	0.5	20	2.5
OMT-3.0	0.75	18	3.0
OMT-3.2	1.25	16	3.2
OMT-3.5	2.0	14	3.5
OMT-4.0	2.0	14	4.0
OMT-4.5	3.5	12	4.5
OMT-5.0	5.5	10	5.0
OMT-5.5	5.5	10	5.5
OMT-6.2	8.0	8	6.2
OMT-8.0			8.0
OMT-10.0			10.0



CABLE MARKERS SYSTEM

Cable Markers

◎圆型号码管

Pro-Fix

Wiring Accessories

浙江特伦斯电气有限公司




材料:最好的软质, 高强度, 高韧性的PVC, 防油脂, 和其他材料的侵蚀。
最大工作温度: 85℃
描述:

1. EC型号码管特征是, 高质量, 灵活, 普适性宽, 内部适合不同直径的电缆。
2. 标记后的电缆, 方便维护。
3. 任何数字可以由字母和数字的排列顺序提供必要的代码。

Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
Maximun service temperature: 85℃
Description:

1. EC type cable marker features high quality flexible interior to fit various cable diameters.
2. The markers stay attached on a roller and can be despatched easily when needed.
3. Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.



EC 型号码管
EC Type Cable Markers With Plain Cut

产品编号 Item No.	电线尺寸 Cable Size	平方 Square	数量 (Pcs/卷) Quantity(Pcs/Reel)	号码种类 standard Markings	长度(米) Length(metre)
EC-0	0.75mm ²	0.75	1 000 pcs	0, 1, 2, 3, ..., 9 A, B, C, D, ..., Z +, -, blank	4.50
	0.75mm ²	1.00	1 000 pcs		4.50
	3.0mm ²		4.50		
	1.5mm ² -3.0mm ²	1.50	1 000 pcs		4.50
EC-1	2.6mm ² -4.2mm ²	2.50	1 000 pcs		4.50
EC-2	3.6mm ² -7.4mm ²	4.00	500 pcs		2.75
EC-3	5mm ² -10mm ²	6.00	350 pcs		1.95
	8mm ² -11.9mm ²	8.00	250 pcs		1.37
	10mm ²	10.00	180 pcs		0.99
	12mm ²	12.00	150 pcs		0.88
EC-J	16mm ²	16.00	80 pcs	0.80	
FM-1	3.6mm ² -7.2mm ²	4.00	500 pcs		2.50
EC-J					2.50

CABLE MARKERS SYSTEM

Color Cable Markers

◎彩色号码管

Pro-Fix

Wiring Accessories

浙江特伦斯电气有限公司



材料:最好的软质, 高强度, 高韧性的PVC, 防油脂, 和其他材料的侵蚀。
最大工作温度: 85℃
描述:

1. EC型号码管特征是, 高质量, 灵活, 普适性宽, 内部适合不同直径的电缆。
2. 标记后的电缆, 方便维护。
3. 任何数字可以由字母和数字的排列顺序提供必要的代码。

Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
Maximun service temperature: 85℃
Description:

1. EC type cable marker features high quality flexible interior to fit various cable diameters.
2. The markers stay attached on a roller and can be despatched easily when needed.
3. Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.



0	1	2	3	4	5	6	7	8	9
BK	BN	RD	OE	YW	GN	BE	VT	GY	WE
黑	棕	红	橙	黄	绿	蓝	紫	灰	色

EC 型号码管
EC Type Cable Markers With Plain Cut

产品编号 Item No.	电线尺寸 Cable Size	平方 Square	数量 (Pcs/卷) Quantity(Pcs/Reel)	号码种类 standard Markings	长度(米) Length(metre)
EC-0	0.75mm ²	0.75	1 000 pcs	0, 1, 2, 3, ..., 9 A, B, C, D, ..., Z +, -, blank	4.50
	0.75mm ²	1.00	1 000 pcs		4.50
	3.0mm ²		4.50		
EC-1	1.5mm ² -3.0mm ²	1.50	1 000 pcs		4.50
	2.6mm ² -4.2mm ²	2.50	1 000 pcs		4.50
EC-2	3.6mm ² -7.4mm ²	4.00	500 pcs		2.75
EC-3	5mm ² -10mm ²	6.00	350 pcs		1.95
	8mm ² -11.9mm ²	8.00	250 pcs		1.37
	10mm ²	10.00	180 pcs		0.99
	12mm ²	12.00	150 pcs		0.88
	16mm ²	16.00	80 pcs	0.80	



CABLE MARKERS SYSTEM


SM type Color Coded Cable Markers

◎SM色卡式号码管

Pro-Fix

Wiring Accessories

浙江特伦斯电气有限公司




材质: 采用UL合格POM制成,防火等级94V-2。
特点: 标志采双凸点双凹点设计,于标志组合时不易个别翻转,保持编码的一致性。
颜色: 为国际标准颜色。




0	1	2	3	4	5	6	7	8	9
BK	BN	RD	OE	YW	GN	BE	VT	GY	WE
黑	棕	红	橙	黄	绿	蓝	紫	灰	色


编号	规格W		L(mm)	数量(粒/条)
	铜导截面积(mm ²)	适用直径(mm)		
M-0	1.5	φ2.0-3.0	3.0	15pcs
M-1	2.5	φ3.0-4.0	3.5	10pcs
M-2	4	φ4.0-5.0	3.5	10pcs
M-3	6	φ5.0-6.0	3.5	10pcs




规格: 1.5mm²




规格: 2.5mm²



规格: 4mm²



规格: 6mm²



CABLE MARKERS SYSTEM

Value pack Cable Markers

◎超值包装号码管

Pro-Fix


Wiring Accessories

浙江特伦斯电气有限公司



材料:最好的软质,高强度,高韧性的PVC,防油脂,和其他材料的侵蚀。
最大工作温度: 85℃
描述:
1. EC型号码管特征是,高质量,灵活,普适性宽,内部适合不同直径的电缆。
2. 标记后的电缆,方便维护。
3. 任何数字可以由字母和数字的排列顺序提供必要的代码。

Material: Made of finest soft grade, strong, durable PVC that will resist oil, grease, and other material erosion.
Maximun service temperature: 85℃
Description:
1. EC type cable marker features high quality flexible interior to fit various cable diameters.
2. The markers stay attached on a roller and can be despatched easily when needed.
3. Bold print on yellow body to show your codes distinguishly. Any numbers can be composed by arranging letters and numbers in sequence to provide the necessary codes.



编号 Item NO.	适用电线Approx Wire		号码 Markers	包装 Packing
	SQ(mm ²)	mm		
SEC-0	0.75-1.5	2.0-3.2	0-9 A-Z +-八	450PCS/ROLL
SEC-1	0.75-3.5	3.0-4.2		400PCS/ROLL
SEC-2	3.5-8.0	3.6-7.4		300PCS/ROLL
SEC-3	5.2-10.0	5.2-10.0		250PCS/ROLL

CABLE MARKERS SYSTEM


Marker Strip

◎标志靶



材质: UL合格之PP/NYLON66(黑色),防火等级94V-2, 备有白色。
用途: 配合扁型配线标志使用, 替大型电缆做记号。
用法: 先将标志配合与靶上, 再将靶之两端以尼龙扎线带将其固定即可。

Material: UL approved Nylon 66 (black), flammability rating 94V-2. Nylon 66 PLATE with cable tie fastening hole to accommodate marker pieces for easy identification of cable runs.



Unit: mm

规格型号 Item No.	长度 Length		可搭配号码个数 No. on Holder	宽度 Width		扎带穿孔长 Hole Size		包装 Packing
	mm	inch		mm	inch	mm	inch	
MS-65	65	2.56	9	9	0.35	10	0.39	100
MS-90	90	3.54	12					
MS-95	95	3.74	15					
MS-100	100	3.94	16					
MS-110	110	4.33	18					
MS-130	130	5.12	22					
MS-190	190	7.48	34					

CABLE MARKERS SYSTEM


Stainless Steel Easy Read Markers

◎ 不锈钢易读标识

Pro-Fix

Wiring Accessories

浙江特伦斯电气有限公司



技术信息

- ◇ 产品材料：不锈钢304或316
- ◇ 产品颜色：金属色

产品特性

- ◇ 便于在微光和难见的地方阅读；
- ◇ 标识内容可以包括字母，数字和符号等；
- ◇ 易读标识带可以搭配不同的扎带；
- ◇ 可以直接穿在扎带并捆绑于电缆上。

Technical Information

- ◇ Material: Stainless Steel Grade 304 Or 316
- ◇ Colour: Metallic

Product Feature

- ◇ Easy to read in dim light and inaccessible places.
- ◇ Complete range of individual letters, numbers, and symbols.
- ◇ Carriers are fastened with a variety of cable ties.
- ◇ Slide directly onto the cable ties to create a self-contained wrap tag.

规格型号 Item No.	重量 Weight(kg/100pc)		号码种类 Contene	包装 Packing pcs/bag
	kg	lbs		
ERM-Content	0.2	0.3	0,1,2,2.....9; A,B,C,D.....Z; /,+,-	100

CABLE MARKERS SYSTEM

Stainless Steel Markers Carrier

◎ 不锈钢易读标识带



技术信息

- ◇ 产品材料：不锈钢304或316
- ◇ 喷塑材料：环氧树脂粉末。
- ◇ 产品颜色：黑色

Technical Information

- ◇ Material: Stainless Steel Grade 304 or 316
- ◇ Coating: Polyester/Epoxy.
- ◇ Colour: Black

规格型号 Item No.	长度 Length		可搭配号码个数 No. on Holder pcs	宽度 Width		扎带穿孔长 Hole Size		包装 Packing pcs/bag
	mm	inch		mm	inch	mm	inch	
ERMC-93	93	3.661	4	10	0.394	10	0.394	100
ERMC-108	108	4.252	6					
ERMC-131	131	5.157	8					
ERMC-146	146	5.748	10					
ERMC-188	188	7.402	14					
ERMC-203	203	7.992	16					

CABLE MARKERS SYSTEM


Stainless Steel Tagger

◎ 不锈钢标牌

Pro-Fix

Wiring Accessories

浙江特伦斯电气有限公司



技术信息

- ◇ 产品材料：不锈钢304或316；铜
- ◇ 温度范围：-80℃ ~ +538℃
- ◇ 产品颜色：金属色

产品特性

- ◇ 用于辨识在化工行业，纸浆制造业，精炼厂，海事平台石油钻塔和其他恶劣环境中的管子，导管，电缆，设备上；
- ◇ 所有不锈钢标牌打牌扎带使用，可以提供抗腐蚀，抗射线等持久的辨识；
- ◇ 搭配使用标准及高强度的不锈钢扎带；
- ◇ 可以有不同形状，如正方形，长方形，椭圆形。

Technical Information

- ◇ Material: Stainless Steel Grade 304 or 316; Copper
- ◇ Temperature: -80℃ to +538℃
- ◇ Colour: Metallic

Product Feature

- ◇ Identify pipes, conduit, valves, cables and equipment in petrochemical plants, pulp and paper mills, refineries, offshore oil rigs and other harsh environments.
- ◇ All marker plates/tags can be custom marked by cable tie with one or two computer controlled systems to provide permanent identification to resist corrosion, abrasion and radiation.
- ◇ Use with standard and heavy duty stainless steel ties.
- ◇ Different shape available, like Square, Ellipse, Rectangle.

规格型号 Item No.	宽度 Width		长度 Length		厚度 Thickness		孔宽度 Width of Hole		包装 Packing pcs/bag	
	mm	inch	mm	inch	mm	inch	mm	inch		
方形标牌 / Rectangle&Square										
SST-0892	8	0.31	92	3.62	0.26	0.010	13.0	0.51	100	
SST-1089	10	0.39	89	3.50	0.36	0.014	8.0	0.31		
SST-10106	10	0.39	106	4.17	0.36	0.014	10.0	0.39		
SST-10200	10	0.39	200	7.87	0.36	0.014	10.0	0.39		
SST-1270	12	0.47	70	2.76	0.36	0.014	11.0	0.43		
SST-1289	12	0.47	89	3.50	0.40	0.016	10.0	0.39		
SST-12100-A	12	0.47	100	3.94	0.36	0.014	10.0	0.39		
SST-12100-B	12	0.47	100	3.94	0.40	0.016	10.0	0.39		
SST-15110	15	0.59	110	4.33	1.00	0.039	4.0	0.16		
SST-1989-A	19	0.75	89	3.50	0.37	0.015	6.0	0.24		
SST-1989-B	19	0.75	89	3.50	0.36	0.014	12.0	0.47		
SST-1989-C	19	0.75	89	3.50	0.36	0.014	6.2	0.24		
SST-1989-D	19	0.75	89	3.50	0.36	0.014	10.0	0.39		
SST-1989-E	19	0.75	89	3.50	0.36	0.014	10.5	0.41		
SST-1989-F	19	0.75	89	3.50	0.36	0.014	10.0	0.39		
SST-2080	20	0.79	80	3.15	1.00	0.039	6.0	0.24		
SST-2650	26	1.02	50	1.97	1.00	0.039	4.0	0.16		
SST-3060	30	1.18	60	2.36	0.50	0.020	10.0	0.39		
椭圆形 / Ellipse										
SST-1645	16	0.63	45	1.77	0.40	0.016	8.3	0.33		100
SST-2050-A	20	0.79	50	1.97	0.5	0.020	8.5	0.33		
SST-2050-B	20	0.79	50	1.97	0.3	0.012	8.5	0.33		
SST-2460	24	0.94	60	2.36	0.50	0.020	10.0	0.39		