

ZHEJIANG
TOLERANCE
ELECTRIC CO.,LTD.


TOLERANCE
ZHEJIANG YUEQING
JIANG YUEQING LIUSHI

Zhejiang
Yueqing
Liushi

TOLERANCE[®]
特伦斯电气

Pro-Fix
Wiring Accessories

浙江特伦斯电气有限公司



CABLE PROTECTION

- ◆ CABLE CLIP
- ◆ NYLON CABLE TIE
- ◆ PLASTIC ANCHOR
- ◆ CABLE GLAND
- ◆ CABLE MARKER
- ◆ CABLE CLAMP
- ◆ STAINLESS STEEL CABLE TIE



浙江特伦斯电气有限公司
E-mail : info@Chinatls.com
Http : //www.chinatls.com Chinatls.en.alibaba.com



ZHEJIANG
TOLERANCE
ELECTRIC CO.,LTD.

WHY CHOOSE US

- (1) core value: win-win, respect, integrity, reciprocity and mutual benefits.
- (2) we have rich experience in the field of wiring accessories industry and gather around higher popularity in oversea marketing.
- (3) our products have a complete range of specifications and steady good quality, to meet the need of different customers.
- (4) we adhere to the principle of win-win, built a professional electrical wiring accessories platform, we can provide anything whatever you want.



PRODUCT ADVANTAGE

1. Quality is our Culture.
2. We insist on using NEW material—refused to add recyle material. —refused to add brightaner
3. we have our own factory, so any shape products can be full customed with low cost.
4. Quality
We always put the product quality in the first place and strict quality control by third party.
The equipment we adopted is the most advanced, so our production facilities and manufacturies are of the highest industry standard.



INDUSTRY SOLUTION

1. Since established, we have been focusing on the research and development of our products
2. We adopt the most advanced equipment. so our production facilities and the level of manufacture are the highest industry standard.
3. When you receive the goods, test them. If you have any questions, contact us, we will offer the solution for you.



SERVICE & SUPPORT

1. Our service exceeds all customer expectations and we have a professional team to provide customers with accurate, comprehensive and efficient service
2. Trustworthy quality is success partner, and we try to avoid after-sales issues.
3. 24 hours service online: Welcome to consult us, we will try our best to help you.

OUR PROMISE

Quality is our Culture
Delivery time guaranteed
Superior service to satisfy customer request
Insist win-win development

COMPANY

特伦斯 Profile

Zhejiang Tolerance Electrical Co. Ltd. is a professional manufacturer of wiring accessories factory. After building our own factory, Tolerance focuses on the R & D, production and sale various kinds of wiring accessories all the time. The main products includes cable clips, expand plugs, self adhesive tie mount, saddle type tie mount, cable glands, spiral wrapping bands, stainless steel ties and so on. Our products are mainly applied in housing decoration wiring, wiring of building engineering, sets of electrical wiring, wiring of the shipbuilding industry, communication engineering wiring, light industry and heavy industry, meanwhile, the quality of our products enjoy great popularity at home and abroad.

Our company specializes in improving the quality of the products and meet with the requirement of different countries in order to satisfy with the different customer. Recent years, we establish a good cooperration relation with our main customers, such as, New Delhi of India, Dhaka of Bangladesh, Johannesburg of South Africa, Moscow of Russia, Incheon of South Korea, United Arab Emirates ect. In these countries, our products has occupied a certain market share in the local. At the same time, our products are recognized by these customers, no matter what its quality or appearance of internal and external packaging.

Tolerance will countine to improve the quality and service of products and commit to innovate technology in oreder to meet with the different requirement from globe market. In the future, our company is dedicating in carrying forward the spirit of "Tolerance, for wisdom and different".

www.chinatls.com



03-10 CABLE CLIPS SYSTEM



CABLE CLIPS SYSTEM

- 03 K-type Circle Cable Clips
- 04 Circle cable clips
- 05 Hook Cable Clips
- 06 British Cable Clips
- 07 Flat cable clips
- 08 Pipe Clip
- 09 Hard/Soft Plastic Box Cable Clip
- 10 Paper Box Cable Clip
- 10 Other Brand Packaging

NYLON CABLE TIES SYSTEM



11-22

NYLON CABLE TIES SYSTEM

- 13-14 Self-Lock Type
- 15-16 Barb-Lock Type
- 17 Push Mount Type
- 18 Mountable Head Ties
- 18 Marker Ties
- 19 Releasable Type
- 19 Lashing Cable Tie
- 20 Double Head Cable Tie
- 20 Double Locking Cable Ties
- 20 Handcuff tie Cable Ties
- 21 Magic Cable ties
- 22 Instructions For Use

PLASTIC ANCHOR SYSTEM

- 25 Shark Head type Expand Plugs
- 26 Expand Plugs
- 27 Expand Plugs
- 28 Nylon Hammer Drive Anchor
- 29 Nylon Frame Fixing
- 30 Self-drill Plasterboard Plug
- 30 Zn Alloy Speed Anchors
- 31 Poly-Toggles
- 31 Hdpe Plastic Plugs
- 32 Paper Box
- 32 Green Paper Box
- 32 Blue Skylight Box
- 32 Purple Paper Box

23-32



CABLE GLANDS SYSTEM




33-44

CABLE GLANDS SYSTEM

- Nylon Cable Glands (Standard type) 34
- Nylon Cable Glands (Metric) M type 35
- Nylon Cable Glands MG/G/NPT 36
- Nylon Screw Plugs PG/M Type 37
- Spiral Cable Glands (PG/M type) 38
- Metal Cable Glands(Brass/S S 304/316) 39
- Metal Cable Glands(Brass/S S 304/316) 40
- Waterproof Junction Box (With Stopper) 41
- Waterproof Junction Box (Without Stopper) 42
- PE/PP/PA Corrugated Pipe 43
- Corrugated Conduit Connector 44
- Right Angle Connector of Corrugated Conduit 44
- Corrugated Pipe Fixed Stem 44

CABLE MARKERS SYSTEM



45-52

CABLE MARKERS SYSTEM

- 46 O type Marker Tube
- 47 Cable Markers
- 48 Color Cable Markers
- 49 MS type Color Coded Cable Markers
- 50 Marker Strip
- 50 Value pack Cable Markers
- 51 Stainless Steel Easy Read Markers
- 51 Stainless Steel Markers Carrier
- 52 Stainless Steel Tige24

CABLE CLAMPS SYSTEM




53-62

CABLE CLAMPS SYSTEM

- 54 Self Adhesive Tie Mount
- 54 Saddle Type Tie Mount
- 55 Adjustable Cable Clamp
- 55 Adjustable Cable Clamp
- 56 Cable Tie Holders
- 56 R type Cable Clamp
- 57 Rubber Tube Clamps
- 58 Vinyl Coated Tube Clamps
- 59 Twist Ties
- 59 Standoff Twist Tie
- 59 Locking Wire Saddle
- 60 Strain Relief Bushing
- 61 Grommet (open)
- 61 Hole Plug
- 62 Snap Bushing
- 62 Snap Bushing(Open)

CABLE PROTECTION SYSTEM



63-76

CABLE PROTECTION SYSTEM

- 64 Cable Tidy(Attached Clip)
- 65 Spiral Wrapping Bands
- 66 Movable Bushing
- 67 PVC Insulating Tape
- 68 Cable Puller
- 69 Trunking and Pipe
- 70 Round Type Wiring Duct
- 71-72 PXC Wiring Duct(slotted)
- 73-74 PZC Wiring Duct(solid)
- 75 Magic tube
- 75-76 Button tube

STAINLESS STEEL CABLE TIES SYSTEM



77-90

STAINLESS STEEL CABLE TIES SYSTEM

- 79-80 Ball-Lock Uncoated Ties
- 81-82 Ball-Lock Polyester Coated Ties
- 83-84 L Type Polyester Coated Ties
- 85 Ball-Lock PVC Coated Ties
- 86 Releasable Uncoated Ties
- 87 Ladder Single-Lock Un coated Ties
- 88 Un coated Bands-MPS Ties
- 88 PVC Coated Bands-MPSJ Series
- 89 Buckles
- 90 Hand Tools

CABLE PROTECTION SYSTEM

Pro-Fix Wiring Accessories

浙江特伦斯电气有限公司



CABLE PROTECTION SYSTEM

Cable Tidy(Attached Clip)

◎包线管 (附夹子)

Pro-Fix Wiring Accessories

浙江特伦斯电气有限公司



材质: PE(理线器ABS)

结束方法: 剪下所需长度, 配合专用工具, 一手压在上端, 将工具向下拉, 便可瞬间完成整线工作。

结束力: 本产品若使用变更是拆下容易, 再重新使用原有的卷束带时其卷束力仍然不变。

用途: 美观安全结束电线并有保护电线免于割伤及绝缘。





特殊颜色, 接收订制。

Material: PE

Color: Standard in natural. Black and other are colors available upon request.

Description:

- 1.Flexible construction enable bands to follow wire ways easily.
- 2.Durable, reusable with retained spiral strength.
- 3.Fix ends of band with cable ties and spiral wire bundles in clockwise direction to complete works.
- 4.Expand spiral range almost without limit. An economical way of cable binding. Easily applied to electric harness, cables and wire bundles. Cut-to-fit versatility in convenient roll-form.



Core Technology

Unit: mm

ITEM NO	A	B	C	MAX DIA	D	E	F	T	H
HS-10	8	10	0.7	9.0	5.0	1.5	20.0	34.0	5~8
HS-15	13	14	0.9	15	7.0	2.0	37.0	53.0	6~10
HS-20	18	18	1.0	20	9.0	2.0	52.0	72.0	10~15
HS-25	23	21	1.1	25	10.5	2.2	64.0	88.0	12~17
HS-30	27	23	1.2	29	11.5	2.3	78.0	100.0	15~20
HS-35	33	29	1.3	35	14.5	2.8	98.0	125.0	18~25



CABLE PROTECTION SYSTEM Spiral Wrapping Bands

◎卷式结束带(缠绕管)


Pro-Fix Wiring Accessories

Tolerance, For wisdom and different.



材质: PE本色(另备黑色)
 结束方法: 剪下所需长度, 以扎线带固定一端, 再将卷束依顺时针方向卷绕即可。
 特点: 本产品若使用变更是拆下容易, 在重新使用原有的卷式结束带时, 其卷束力仍然不变。
 用途: 结束电线并有保护电线免于刮伤及绝缘。特殊颜色, 接受订制。

Material: PE
 Color: Standard in natural. Black and other are colors available upon request.
 Description:
 1.Flexible construction enable bands to follow wire ways easily.
 2.Durable, reusable with retained spiral strength.
 3.Fix ends of band with cable ties and spiral wire bundles in clockwise direction to complete works.
 4.Expand spiral range almost without limit.
 An economical way of cable binding. Easily applied to electric harness, cables and wire bundles. Cut-to-fit versatility in convenient roll-form.



Unit: mm


ITEM NO	d	D	W	Wrapping Range
SWB-03	1.5	3.0	4.0	1.5-10
SWB-06	4.0	6.0	7.0	4-50
SWB-08	6.0	8.0	10.8	6-60
SWB-10	8.0	10.0	11.4	7.5-60
SWB-12	9.0	12.0	14.0	9-65
SWB-15	12.0	15.0	15.0	12-75
SWB-19	15.0	19.0	18.0	15-100
SWB-24	20.0	24.0	19.5	20-130
SWB-30	26.0	30.0	43.0	26-150



CABLE PROTECTION SYSTEM Movable Bushing


◎护线齿

Pro-Fix Wiring Accessories



材质: 本产品原料分为PE及NYLON(本色)二种, NYLON 弹性及附着性较好。
 用途: 电线电缆之保护及绝缘。
 用法: 依据铁板出线孔大小, 截取所需之长度, 再将其卷绕于出线孔上即可。
 特点: 适合出线孔大小不一, 形状不规则者使用。
 优点: 1.弹性大, 附着力强, 外观光滑漂亮。
 2.KGH采100M纸盘包装, 易于存放, 并适合大长度者使用。


Material: PE.
 Usage: Cut to fit any hole sizes for cords, wires, cables protection against damage from sharp panel edges.
 Function: Wires and cables protection and insulation.
 Advantage:
 1. Out put PE material via injection. Flexible, high adhesion, smooth surface.
 2. Packed via paper spool for easy storage, and could be used for longer distance.



Unit: mm

ITEM NO	T	Available Thickness
KG-008	0.8	0.8 ↓
KG-010	1.0	0.8 ~ 1.0
KG-012	1.0	1.0 ~ 1.2
KG-016	1.6	1.2 ~ 1.6
KG-020	2.0	1.6 ~ 2.0
KG-024	2.4	2.0 ~ 2.4
KG-032	3.2	2.4 ~ 3.2
KG-045	4.5	3.2 ~ 4.5

Customized packaging



CABLE PROTECTION SYSTEM

PVC Insulating Tape

◎绝缘电工胶带

Pro-Fix

Wiring Accessories



产品描述:

以PVC(聚氯乙烯)薄膜为基材,涂于橡胶型压敏胶制造,具有良好的绝缘性,耐压性,耐候性。良好的阻燃性能,适用于高温以及高电压范围。适用于电线接头绝缘,电器内接线,以及重要部件的保护。良好的防水性,耐酸碱腐蚀性。

Basic composition of tape: Tread, Bottom Glue, PVC Film

Adhesive Tape basic features:

Has good insulation, pressure weathering and other characteristics Has good adhesive properties.Red, Yellow, Blue, White, Black, Green and other Colors,and can print guest marks.

Use:

Main insulation for cable connector below 600V.
General Cable pipe bundle.
600V line tag color following.
Electronic Electrical insulation protection for the industry.



型号 ITEN No.	基材	胶型	厚度 (mm)	剥离力 (N/cm)	拉伸强度 (N/cm)	伸长率 (%)	耐温性 (°C)	击穿强度 (KV/mm)
100D	PVC	橡胶	0.10	1.5	14	160	80	≥40
110D	PVC	橡胶	0.11	1.5	15	160	80	≥40
130D	PVC	橡胶	0.13	1.5	17	160	80	≥40
150D	PVC	橡胶	0.15	1.5	20	180	80	≥40
165D	PVC	橡胶	0.165	1.5	22	180	80	≥40
180D	PVC	橡胶	0.18	1.5	26	180	80	≥40
190D	PVC	橡胶	0.19	1.5	28	200	80	≥40
200D	PVC	橡胶	0.20	1.5	28	200	80	≥40
100Z	PVC	橡胶	0.10	1.5	14	160	80	≥40
110Z	PVC	橡胶	0.11	1.5	15	160	80	≥40
130Z	PVC	橡胶	0.13	1.5	17	160	80	≥40
150Z	PVC	橡胶	0.15	1.5	20	180	80	≥40
165Z	PVC	橡胶	0.165	1.5	22	180	80	≥40
180Z	PVC	橡胶	0.18	1.5	26	180	80	≥40
190Z	PVC	橡胶	0.19	1.5	28	180	80	≥40
200Z	PVC	橡胶	0.20	1.5	28	200	80	≥40

Adhesive Type	Thickness(mm)	Width(mm)	Length(m)	Convention model
Rubber solver type	0.130 ± 0.030	19-1030 ± 1	6 yds, 8 yds, 10 yds, 20 yds, 25 yds, 5m, 10m, 20m, 25m, 30m etc...	0.13mm × 19mm × 8yds
	0.150 ± 0.030			0.13mm × 19mm × 10yds
	0.180 ± 0.030			0.13mm × 19mm × 20yds
	0.200 ± 0.030			0.15mm × 15mm × 10m
	0.250 ± 0.030			0.15mm × 19mm × 20m
	0.500 ± 0.030			0.15mm × 25mm × 25m

CABLE PROTECTION SYSTEM

Cable Puller

◎导线管/穿墙线

Pro-Fix

Wiring Accessories



材质: 尼龙6

部件: 弹簧+黄铜配件

特性: 超强硬度, 可适应于-4°C-125°C

用途: 在建筑或家居装饰行业使用, 将电线导入嵌入墙壁的电线管内, 完成家居装饰的布线。

Material: PA6

Parts: Spring+Brass Fitting

Features: high hardness, It Can be adapted to the environment from -4°C to +125°C


Purpose: Use in the building or home decoration industry to lead the wires into the wire tubes that have been embedded in the walls to complete the wiring of the home decoration.

PLEASE UNDERSTAND

Dear Customers :
this is the core technology part of the company and is not open to the public.



Nylon extrusion equipment

型号 ITEN No.	宽度 WIDTH	厚度/颜色 THICKNESS/COLOUR	长度 LENGTH	款式 STYLE
CT3005 / CT4005	φ3 / φ4	Natural Red Yellow Black	5m	 PA6
CT3010 / CT4010	φ3 / φ4		10m	
CT3015 / CT4015	φ3 / φ4		15m	
CT3020 / CT4020	φ3 / φ4		20m	
CT3025 / CT4025	φ3 / φ4		25m	
CT3030 / CT4030	φ3 / φ4		30m	
ST3205 / ST5005	φ3.2 / φ5.0		0.5mm	
ST3210 / ST5010	φ3.2 / φ5.0	0.5mm	10m	
ST3215 / ST5015	φ3.2 / φ5.0	0.5mm	15m	
ST3220 / ST5020	φ3.2 / φ5.0	0.5mm	20m	
ST3225 / ST5025	φ3.2 / φ5.0	0.5mm	25m	
ST3230 / ST5030	φ3.2 / φ5.0	0.5mm	30m	

ZHEJIANG TOLERANCE ELECTRIC CO., LTD

ZHEJIANG TOLERANCE ELECTRIC CO., LTD


CABLE PROTECTION SYSTEM

CABLE PROTECTION SYSTEM

CABLE PROTECTION SYSTEM
Trunking and Pipe

◎配线槽&电线管

Pro-Fix
Wiring Accessories



PVC Wire Trunking

PVC Electrical Pipe

CABLE PROTECTION SYSTEM
Round Type Wiring Duct

◎RTD弧形地板配线槽

Pro-Fix
Wiring Accessories



材质: 优质PVC

结构: 由弧形槽底及槽盖两部分组成, 槽底设单/双轨走线槽。底和盖子结合后的宽度即为产品标准规格。

用途: 适用于电信、网络、安保、电脑、监控系统等布线工程。

优点: 1. 采用优质增强型工艺/配方, 产品抗压/受重/抗冲击性能优越。本产品安装于地面时, 不会绊倒行人, 更易于各种用途推车的通过。
2. 优良结构设计及生产工艺, 底盖结合稳定牢固, 高效保护槽内电线。
3. 配合强力双面胶, 安装简便, 拆卸简单, 外形美观, 易于配线。适用于百货公司、超市、卖场、车站、酒店、医院、办公室等公共场所。

RTD ROUND TYPE WIRING DUCT

Material: High-quality PVC

Structure: Made up of duct bottom and lid. The width after combining the bottom and lid is the standard width of product.



Usage: Telecommunications, networking, security, computer, monitoring system.

Advantages:

1. With enhanced technology, the products have good property of compression resistance, impact resistance. installed on the ground, facilitate trolley and avoid to trip.

2. Good structure design and production bottom and lid combined firmly, protect wire well.

3. Backed with high quality double stick tape, easy to install and dismantle. Suitable for department stores, supermarkets, stations, hotels, hospitals, offices and other public facilities.



ITEM NO	W	W1	H	H1	COLOR	LENGTH
RTD-2	20mm	8mm	6mm	4mm	BROWN GREY	1M/2M
RTD-3	30mm	11mm	8mm	6mm		
RTD-4	40mm	16mm	9.5mm	7mm		
RTD-5	50mm	20mm	11mm	8mm		
RTD-6	60mm	30mm	13mm	9mm		
RTD-7	70mm	40mm	15mm	10mm		
RTD-9	90mm	45mm	19mm	15mm		
RTD-12	120mm	70mm	25mm	21mm		

CABLE PROTECTION SYSTEM PXC Wiring Duct(slotted)


◎PXC 通用绝缘行线槽

Pro-Fix Wiring Accessories

CABLE PROTECTION SYSTEM PXC Wiring Duct(slotted)


◎PXC 通用绝缘行线槽

Pro-Fix Wiring Accessories




材质: 优质PVC。
结构: 由槽底及槽盖两部分组成, 槽底两侧设出线孔。结合后的外部高与宽即为产品标准规格。
优点: 1. 2500伏绝缘, 550℃阻燃, 阻燃等级: UL-94-V0。
2. 优良结构设计及生产工艺, 底盖结合稳定牢固, 结合面光滑平整, 无毛边不伤手, 高效保护槽内电线。
3. 出线孔低, 方便组合, 拆卸简单, 易于配线。

Material: High-quality PVC.
Structure: Consists of cover and bottom, features parallel holes on both sidewalls to facilitate cutting inwire application.
Advantage: 1. Up to 2500V insulation .Maximum service temperature to 550°C. Warp-proof:UL-94-V0.
2. Good design and advanced process. strongly united for cover and bottom,smoothly covers, no edges, all that protece the wires efficiency.
3.Low slotted, easy combination, simple assembled.



K-SK-Type
特点: 设计符合国际标准, 槽底和盖子结合强度大, 有效防止非专业人员私自开启/维修线路。


Characteristics:The design fits for international standards,The covers can strongly united with the bottom so that it couldn't be opened or maintained by laypeople.






K-SJ-Type
特点: 中标款式, 符合亚太地区使用习惯, 斜面滑盖设计, 为线路检修提供便利。

Characteristics: The chinese type fits for asia standaeds, The beveled cover is easy to be maintained.

标准型出线孔尺寸
S-Type slotted size



细齿型出线孔尺寸
T-Type slotted size




序号 No.	型号 ITEN No.	尺寸 (高×宽) SIZE(H×W)	电线容量 Wire ToBeContained (以2.0平方计算)	开孔类型 SLOT TYPE	装箱数量/条 PCS/CTN	颜色 COLOR	长度 LENGTH
01	PXC-2015	20mm × 15mm	5-12PCS	T-Type	100	灰色 GREY 蓝色 BLUE 白色 WHITE	2M
02	PXC-2525	25mm × 25mm	10-25PCS	T-Type	50		
03	PXC-3015	30mm × 15mm	5-15PCS	T-Type	100		
04	PXC-3020	30mm × 20mm	10-20PCS	T-Type	50		
05	PXC-3025	30mm × 25mm	15-25PCS	T-Type	50		

序号 No.	型号 ITEN No.	尺寸 (高×宽) SIZE(H×W)	电线容量 Wire ToBeContained (以2.0平方计算)	开孔类型 SLOT TYPE	装箱数量/条 PCS/CTN	颜色 COLOR	长度 LENGTH
06	PXC-3030	30mm × 30mm	20-10PCS	T-Type	50	灰色 GREY 蓝色 BLUE 白色 WHITE	2M
07	PXC-3035	30mm × 35mm	25-40PCS	T-Type	50		
08	PXC-3525	35mm × 25mm	15-25PCS	T-Type	50		
09	PXC-3535	35mm × 35mm	20-25PCS	T-Type	50		
10	PXC-4025	40mm × 25mm	20-25PCS	S-Type	50		
11	PXC-4030	40mm × 30mm	40-45PCS	S-Type	50		
12	PXC-4035	40mm × 35mm	40-45PCS	S-Type	50		
13	PXC-4040	40mm × 40mm	60-70PCS	S-Type	50		
14	PXC-4545	45mm × 45mm	70-90PCS	S-Type	50		
15	PXC-5020	50mm × 20mm	15-20PCS	S-Type	50		
16	PXC-5025	50mm × 25mm	20-25PCS	S-Type	50		
17	PXC-5030	50mm × 30mm	30-40PCS	S-Type	50		
18	PXC-5035	50mm × 35mm	50-60PCS	S-Type	50		
19	PXC-5040	50mm × 40mm	60-70PCS	S-Type	50		
20	PXC-5045	50mm × 45mm	70-80PCS	S-Type	50		
21	PXC-5050	50mm × 50mm	80-90PCS	S-Type	50		
22	PXC-5055	50mm × 55mm	90-100PCS	S-Type	50		
23	PXC-5060	50mm × 60mm	100-120PCS	S-Type	50		
24	PXC-5080	50mm × 80mm	150-200PCS	S-Type	30		
25	PXC-50100	50mm × 100mm	200-250PCS	S-Type	30		
26	PXC-6025	60mm × 25mm	30-40PCS	S-Type	50		
27	PXC-6030	60mm × 30mm	30-50PCS	S-Type	50		
28	PXC-6035	60mm × 35mm	60-80PCS	S-Type	50		
29	PXC-6040	60mm × 40mm	100-110PCS	S-Type	50		
30	PXC-6045	60mm × 45mm	110-120PCS	S-Type	50		
31	PXC-6050	60mm × 50mm	110-125PCS	S-Type	50		
32	PXC-6060	60mm × 60mm	110-120PCS	S-Type	40		
33	PXC-6545	65mm × 45mm	100-130PCS	S-Type	50		
34	PXC-8025	80mm × 25mm	100-120PCS	S-Type	40		
35	PXC-8035	80mm × 35mm	110-120PCS	S-Type	30		
36	PXC-8040	80mm × 40mm	120-135PCS	S-Type	30		
37	PXC-8045	80mm × 45mm	120-140PCS	S-Type	30		
38	PXC-8050	80mm × 50mm	130-180PCS	S-Type	30		
39	PXC-8055	80mm × 55mm	135-190PCS	S-Type	30		
40	PXC-8060	80mm × 60mm	180-210PCS	S-Type	30		
41	PXC-8080	80mm × 80mm	240-290PCS	S-Type	18		
42	PXC-80100	80mm × 100mm	260-350PCS	S-Type	20		
43	PXC-10050	100mm × 50mm	130-180PCS	S-Type	20		
44	PXC-10060	100mm × 60mm	240-290PCS	S-Type	20		
45	PXC-10080	100mm × 80mm	260-350PCS	S-Type	20		
46	PXC-100100	100mm × 100mm	300-400PCS	S-Type	20		

CABLE PROTECTION SYSTEM
PZC Wiring Duct(solid)


©PZC装潢行线槽

Pro-Fix
Wiring Accessories



材质: 优质PVC, 防火等级UL-94-V0, 绝缘性良好。
结构: 由槽底和槽盖两部分组成, 槽底两侧封闭式设计。底和盖子结合后的高度和宽度即为产品标准规格。
优点: 密封式设计, 盖子可开启, 有效解决普通穿线管无法打开的弊端。有效防尘、防潮、防鼠。配合强力双面胶, 安装简单, 组合方便, 外形美观。

Material: High-quality PVC, comply with UL94-V0, good insulation.
Struction: Made up of duct bottom and lid, with endosed design at sides, The width and height after combining the bottom and lid is the standard size of product.
Advantage: Solid design. The lid can be open, dustproof waterproof, acked with high quality double stick tape, easy to install and dismantle.



	ITEM NO	SIZE(H x W)	PACKING (pcs/bundle)	COLOR	LENGTH
01	PZC-0712	7 x 12	30PCS	白色 WHITE	2M
02	PZC-1012	10 x 12	30PCS		
03	PZC-1010	10 x 10	30PCS		
04	PZC-1112	11 x 12	30PCS		
05	PZC-1015	10 x 15	30PCS		
06	PZC-1020	10 x 20	25PCS		
07	PZC-1025	10 x 25	25PCS		
08	PZC-1030	10 x 30	20PCS		
09	PZC-1038	10 x 38	20PCS		
10	PZC-1050	10 x 50	15PCS		
11	PZC-1515	15 x 15	30PCS		
12	PZC-1616	16 x 16	30PCS		
13	PZC-1520	15 x 20	25PCS		
14	PZC-1525	15 x 25	25PCS		
15	PZC-1535	15 x 35	20PCS		
16	PZC-1540	15 x 40	25PCS		
17	PZC-2015	20 x 15	25PCS		
18	PZC-2020	20 x 20	20PCS		
19	PZC-2025	20 x 25	20PCS		
20	PZC-2030	20 x 30	20PCS		
21	PZC-2035	20 x 35	20PCS		
22	PZC-2040	20 x 40	15PCS		

CABLE PROTECTION SYSTEM
PZC Wiring Duct(solid)

©PZC装潢行线槽

Pro-Fix
Wiring Accessories

	ITEM NO	SIZE(H x W)	PACKING (pcs/bundle)	COLOR	LENGTH
23	PZC-2045	20 x 45	15PCS	白色 WHITE	2M
24	PZC-2050	20 x 50	15PCS		
25	PZC-2060	20 x 60	10PCS		
26	PZC-2525	25 x 25	20PCS		
27	PZC-2530	25 x 30	20PCS		
28	PZC-2540	25 x 40	15PCS		
29	PZC-2550	25 x 50	10PCS		
30	PZC-2560	25 x 60	10PCS		
31	PZC-3015	30 x 15	20PCS		
32	PZC-3020	30 x 20	15PCS		
33	PZC-3030	30 x 30	10PCS		
34	PZC-3040	30 x 40	10PCS		
35	PZC-3050	30 x 50	10PCS		
36	PZC-3060	30 x 60	10PCS		
37	PZC-3080	30 x 80	8PCS		
38	PZC-30100	30 x 100	5PCS		
39	PZC-3535	35 x 35	15PCS		
40	PZC-4040	40 x 40	15PCS		
41	PZC-4060	40 x 60	10PCS		
42	PZC-4080	40 x 80	8PCS		
43	PZC-40100	40 x 100	5PCS		
44	PZC-5025	50 x 25	10PCS		
45	PZC-5040	50 x 40	8PCS		
46	PZC-5050	50 x 50	8PCS		
47	PZC-5055	50 x 55	5PCS		
48	PZC-5060	50 x 60	5PCS		
49	PZC-5080	50 x 80	5PCS		
50	PZC-50100	50 x 100	2PCS		
51	PZC-6060	60 x 60	5PCS		
52	PZC-6080	60 x 80	5PCS		
53	PZC-60100	60 x 100	2PCS		
54	PZC-7575	75 x 75	5PCS		
55	PZC-8080	80 x 80	2PCS		
56	PZC-80100	80 x 100	2PCS		
57	PZC-10060	100 x 60	2PCS		
58	PZC-100100	100 x 100	2PCS		

CABLE PROTECTION SYSTEM Magic tube


◎粘式结束带

Pro-Fix Wiring Accessories



材质: PVC布+贴扣带
厚度: 0.35mm
颜色: 黑+灰
用途: 适用于多数电线的包捆。
使用方法: 包覆于保护线外围, 并将粘贴罩粘住即可。
功能: 保护并美化配线, 拆卸方便, 可重复使用。


Material: PVC+ POM
Thickne: 0.35 mm
Color: black+grey
Application: wrapping and strapping most wires
Usage: Wrapping the periphery of a protedtion wire and sliking the welicro
Functions: Protedion and beautification of the wires,conv ence in dismounting and repeated use



型号 Model	布宽(mm) Width W	扣距(mm) Bundle diameter	长度 Length	包装方式 Way of package
WPC-70	70	10	50M	纸盒/纸盘
WPC-84	84	20		
WPC-100	100	25		
WPC-115	115	30		
WPC-147	147	40		
WPC-180	180	50		
WPC-246	246	70		
WPC-340	340	100		


Button tube

◎扣式结束带



材质: PVC布+POM纽扣
厚度: 0.35mm
颜色: 黑+灰
用途: 适用于多数电线的包捆。
使用方法: 包覆于保护线外围, 并将按钮扣上。
功能: 保护并美化配线, 拆卸方便, 可重复使用。

Material: PVC+ POM
Thickne: 0.35 mm
Color: black+grey
Application: wrapping and strapping most wires
Usage: Wrapping the periphery of a protedtion wire and fa ening the buttons one by one
Functions: Protedion and beautification of the wires,conv ence in dismounting and repeated use




型号 Model	布宽(mm) Width W	扣距(mm) Button dista nce W1	扣距(mm) Bundle diameter	长度 Length	包装方式 Way of package
HPC-57	57	37	10	50M	纸盒 Carton
HPC-75	75	55	15		
HPC-90	90	70	20		
HPC-100	100	80	25		
HPC-115	115	95	30		
HPC-146	146	126	40		
HPC-175	175	155	50		
HPC-241	241	221	70		
HPC-333	333	313	100		

CABLE PROTECTION SYSTEM Button tube


◎扣式结束带

Pro-Fix Wiring Accessories



材质: PVC布+POM纽扣
厚度: 0.35mm
颜色: 灰+灰
用途: 适用于多数电线的包捆。
使用方法: 包覆于保护线外围, 并将按钮扣上。
功能: 保护并美化配线, 拆卸方便, 可重复使用。

Material: PVC+ POM
Thickne: 0.35 mm
Color: grey+grey
Application: wrapping and strapping most wires
Usage: Wrapping the periphery of a protedtion wire and fa ening the buttons one by one
Functions: Protedion and beautification of the wires,conv ence in dismounting and repeated use



型号 Model	布宽(mm) Width W	扣距(mm) Button dista nce W1	扣距(mm) Bundle diameter	长度 Length	包装方式 Way of package
PC-60	60	40	12	75M	纸盒/纸盘
PC-67	67	47	15		
PC-80	80	60	19		
PC-100	100	80	25		
PC-120	120	100	31		
PC-140	140	120	37		
PC-140	140	128	40		
PC-160	160	140	44		
PC-180	180	160	50		
PC-202	202	182	57		
PC-210	210	190	60		
PC-242	242	222	70		
PC-336	336	315	100		
PC-495	495	475	150		